

Association Business

INDEX TO VOLUME 65

Author Index

- ADAMS, S.S., *see* Johnson, K.B.
- ADDY, N.A. Opportunities and challenges for private industry, 221.
- ADIWILAGA, K.D. and C.R. BROWN. Introgression of tetraploid Mexican wild species germplasm into cultivated potato by means of triplandroids, 467, (abst).
- ALFORD, A.R., *see* Bergeron, D.
- ALMEKINDERS, C. and S. WIERSEMA. Factors affecting flowering and production of botanical seed in potato, 467, (abst).
- ALSADON, A.A. and H. TIMM. Early plant growth responses of seed potato pieces to gibberellic acid and ethephon, 468, (abst).
- ALSADON, A.A., K.W. KNUTSON and J.C. WILKINSON. Relationships between microtuber and minituber production and yield characteristics of six potato cultivars, 468, (abst).
- ANDERSEN, N., *see* Lauer, F.
- ANDERSON, J.A.D. and K.A. GENET. An outline of New Zealand DSIR potato breeding programme, 469, (abst).
- ANDERSON, N.A., *see* Hoyos, G.P.
- ANDERSON, N.A. and G.P. HOYOS. Evaluation of potato germplasm for verticillium wilt resistance, 469, (abst).
- ASMAT, H., *see* Pallais, N.
- BADSHAH, N., W.M. IRITANI and C.R. ROM. Irradiation effects on membrane permeability and total protein content of potato tubers receiving different doses of irradiation and nitrogen levels during growth, 469, (abst).
- BAGNALL, R.H., *see* Young, D.A.
- BALANAY, N.M., *see* Fernandez, B.B.
- BALTAZAR, A., *see* Huaman, Z.
- BAMBERG, J.B., *see* Smejkal, J.E.
- BAMBERG, J.B. and R.E. HANNEMAN, JR. Enhanced production of botanical seed of tuber-bearing *Solanum* species via supplemental fertilizer applications, 470, (abst).
- BANTTARI, E., *see* Lauer, F.
- BERGERON, D., R.J. BUSHWAY, R.H. STORCH, A.R. ALFORD and A.A. BUSHWAY. The extraction and partial purification of a rhamnosidase from Colorado potato beetle larvae, 67.
- BHAGSARI, A.S., R.E. WEBB, S.C. PHATAK and C.A. JAWORSKI. Canopy photosynthesis, stomatal conductance and yield of *Solanum tuberosum* grown in a warm climate, 393.
- BILSKI, J.J., D.C. NELSON and R.L. CONLON. The response of four potato cultivars to chloride salinity, sulfate salinity and calcium in pot experiments, 85.
- BILSKI, J.J., D.C. NELSON and R.L. CONLON. Response of six wild potato species to chloride and sulfate salinity, 605.
- BIRTH, G.S., *see* Dull, G.G.
- BISHOP, A.L., R.G. CLARKE and S.A. SLACK. Antigenetic anomaly in a naturally occurring nonfluidal strain of *Corynebacterium sepedonicum*, 237.
- BISSONETTE, H.L., *see* Hoyos, G.P.
- BOCHOW, H., *see* Hoyos, G.P.

- BOERSIG, M.R. and S.A. WAGNER. Hydroponic systems for production of seed tubers, 470, (abst).
- BOHAC, J.R., J.C. MILLER, JR. and J.E. BORQUE. Tuberization response of potato to high temperatures in a tissue culture system, 471, (abst).
- BOITEAU, G., R.P. SINGH, R.H. PARRY and Y. PELLETIER. The spread of PVY^o in New Brunswick potato fields: Timing and vectors, 639.
- BONIERBALE, M.W., R.L. PLAISTED and S.D. TANKSLEY. Construction of a genetic map of potato based on molecular markers from tomato, 471, (abst).
- BORQUE, J.E., *see* Bohac, J.R.
- BOUCHER, A., *see* Singh, R.P.
- BOYES, C., *see* Mitten, D.H.
- BRAUN, H.L., *see* Russo, J.M.
- BROWN, C.R. Characteristics of 2N pollen producing triploid hybrids between *Solanum stoloniferum* and cultivated diploid potatoes, 75.
- BROWN, C.R., *see* Adiwilaga, K.D., Kwiatkowski, S. and Muneta, P.
- BROWN, C.R., S. KWIATKOWSKI, M.W. MARTIN and P.E. THOMAS. Eradication of PVS from potato clones through excision of meristems from *in vitro*, heat-treated shoot tips, 633.
- BROWN, C.R., H. MOJTAHEDI and G.S. SANTO. Quantitative characterization of resistance to Columbia root-knot nematode in *Solanum bulbocastanum*, 472, (abst).
- BROWN, J., *see* Muneta, P.
- BRYAN, J.E. Implementation of rapid multiplication and tissue culture methods in Third World countries, 197.
- BUSHWAY, A.A., *see* Bergeron, D., Work, T.A.
- BUSHWAY, A.A., R.J. BUSHWAY and C.H. KIM. Isolation, partial purification and characterization of a potato peel glycoalkaloid glycosidase, 621.
- BUSHWAY, R.J., *see* Bergeron, D. and Bushway, A.A.
- BUSO, J.A. and S.J. PELOQUIN. Comparisons of families from 4x × 4x crosses in Brazil, 472, (abst).
- CAMPBELL, W.L. Alaska potatoes: A textbook example of virus flushout, 472, (abst).
- CANTELO, W.W., *see* Deahl, K.L.
- CARTER, C., *see* Rahimi, F.
- CHASE, R.W., *see* Silva, G.H.
- CHASE, R.W., G.H. SILVA and R.B. KITCHEN. Effects of pre-cutting and fungicide treatment of potato seed, 473, (abst).
- CHENG, H.H. *see* Roberts, S.
- CHRIST, B.J. Effect of planting date and inoculum on powdery scab of potatoes, 473, (abst).
- CHRIST, B.J. Reaction of twelve potato cultivars to early blight, 474, (abst).
- CHRIST, B.J. and R.J. WEIDNER. Incidence and severity of powdery scab on potatoes in Pennsylvania, 583.
- CHRISTIE, B.R., *see* Loiselle, F.
- CIRIO, U., *see* Yaoage, H.
- CLARKE, R.G., *see* Bishop, A.L.
- CLAYTON, M.K. and S.A. SLACK. Sample size determination in zero tolerance circumstances and the implications of stepwise sampling: Bacterial ring rot as a special case, 711.
- COFFIN, R., G.R. JOHNSTON, A. McKEOWN, T.R. TARN, J. WILSON, M. FITTS, M.K. KEENAN, L. REYNOLDS and B. LANGENBURG. Red Gold: a yellow-fleshed, red-skinned potato cultivar with short dormancy and high tuber set, 49.
- COFFIN, R., G.R. JOHNSTON, A. McKEOWN, J. WILSON, M.K. KENNAN, B. LANGENBERG, E. KNIBBE and L. REYNOLDS. Rose Gold: a yellow-fleshed, pink-red skinned, tablestock cultivar with short dormancy and full season maturity, 325.
- COFFIN, R., M.K. KENNAN, R. YADA, G. TAI, M. SLAVNIK and G. JOHNSTON.

Inheritance of genetic factors controlling chip processing quality and tuber storage at low temperatures, 474, (abst).

COFFIN, R.H., *see* Lynch, D.R. and Tai, G.C.C.

COLEMAN, W.K., *see* McDonald, J.G.

COLEMAN, W.K. Tuber age as a contributory factor in the water relations of potato (*Solanum tuberosum* L.) 109.

COLEMAN, S., *see* Seabrook, J.E.A.

CONLON, R.L., *see* Bilski, J.J. and Johnson, K.B.

CORSINI, D., J. STARK and J. PAVEK. The association of tuber protein with blackspot resistance, 475, (abst).

CORSINI, D.L., *see* Stark, J.C.

COSTELLOE, B., *see* Susnoschi, M.

CRAIG, J.C. Jr., *see* Kozempel, M.F.

CRANSHAW, W.S. and M.K. THORNTON. Effects of systemic insecticides on potato growth and their interaction with metribuzin, 535.

CUCUZZA, J., *see* Mitten, D.H.

DAM, N.D., *see* Hoang, V.T.

D'ANTONONI, V.L. and N.A. McHALE. Effect of storage temperature and extraction methods on dormancy and germination of true potato seed, 573.

DAN, V.B., *see* Hoang, V.T.

DARMO, E. and S.J. PELOQUIN. Performance of 4x x 4x families and their common 4x parents, 475, (abst).

DAVIS, J.R., S.K. MOHAN, L.H. SORENSEN and A.T. SCHNEIDER. *Colletotrichum coccodes* on potato foliage, the association with metribuzin, yield losses, and colonization of tubers, 475, (abst).

DAVIS, J.R., J.C. STARK and L.H. SORENSEN. Using optimal fertility to control *Verticillium dahliae* in potato, 476, (abst).

DEAHL, K.L., *see* Sindén, S.L.

DEAHL, K.L., S.L. SINDÉN A. and W. CANTELO. The effects of light intensity on leptine levels and resistance to the Colorado potato beetle in *Solanum chacoense*, 476, (abst).

DeJONG, H., *see* Young, D.A.

DESBOROUGH, S. Genetic variation of solin subunits within hybrids of groups *andigena phureja* and *tuberosum*, 477, (abst).

DODD, J.B. and R.E. HANNEMAN, JR. An examination of reproductive failure following inter-EBN crosses among tetraploid, tuber-bearing *Solanum* species, 477, (abst).

DODDS, J.H. Tissue culture technology: Practical application of sophisticated methods, 167.

DODDS, J.H. and R. LIZARRAGA. Use of tissue culture techniques for germplasm conservation at the International Potato Center, 477, (abst).

DOUCHES, D.S., *see* Rabinowitz, D.

DULL, G.C., G.S. BIRTH and R.G. LEFFLER. Use of near infrared analysis for the nondestructive analysis of dry matter in intact potatoes, 478, (abst).

DUNA, L.V., *see* Fernandez, B.B.

DUNNETT, J., *see* Honess, B.L.

DWELLE, R.B., *see* Gawronska, H., Shetty, K., Stark, J.C.

EARLE, E.D., *see* Lentini, Z.

ECHANDI, E., *see* Escande, A.R.

EGOVILLE, M.J., *see* Talley, E.A.

EGOVILLE, M.J., J.F. SULLIVAN, M.F. KOZEMPEL and W.J. JONES. Ascorbic acid determination in processed potatoes, 91.

ELDREDGE, E.P., *see* Jensen, L., Shock, C.C.

- ELDREDGE, E.P., C.C. SHOCK and T. STIEBER. The effect of a gradient of water stress on Russet Burbank potato stem-end fry color, 478, (abst).
- ESCANDE, A.R. and E. ECHANDI. Wound-healing and the effect of soil temperature, cultivars and the protective chemicals on wound-healed potato seed pieces inoculated with seed piece decay fungi and bacteria, 741.
- ESCOBAR, V. and P. VANDER ZAAG. Field performance of potato (*Solanum* spp.) cuttings in the warm tropics: Influence of planting system, hilling, density and pruning, 1.
- ESPINOZA, J., see Huaman, Z.
- ETHIER, D.J., see Mains, W.H.
- EVANS, W.D., see Gosselin, B.
- EVANYLO, G.K., see Zehnder, G.W.
- EVENSEN, K.B., see Russo, J.M.
- EWING, E.E., see Heym, W.D.
- EWING, E.E., W.D. HEYM and R.G. SNYDER. Modifications to the simulation model 'potato', 478, (abst).
- FARNSWORTH, B., see Johansen, R.H.
- FARRELL, G., see Seabrook, J.E.A.
- FERNANDEZ, B.B., A.S. TUMAPON, L.V. DUNA, N.M. BALANAY, J.P. KLOOS and P. VANDER ZAAG. On-farm evaluation of true potato seed in the Philippines, 457.
- FERRO, D.N., see Hollingsworth, C.S.
- FITTS, M., see Coffin, R.
- FOLWELL, R.J., see Guenther, J.F.
- FONG, N., see Pallais, N.
- FRANC, G.D., see Harrison, M.D.
- FRANC, G.D. Long distance transport of *Erwinia carotovora*, 479, (abst).
- GALLENBERG, D.J., see Skroch, C.
- GARCIA, R., see Pallais, N.
- GAWRONSKA, H., M.K. THORNTON and R.B. DWELLE. Dry matter distribution and ¹⁴C partitioning in potatoes as influenced by heat stress, 479, (abst).
- GAWRONSKA, H., M.K. THORNTON and R.B. DWELLE. Effect of high temperature on tuber initiation and growth, 479, (abst).
- GEDYE, C., see Slack, S.A.
- GENET, R.A., see Anderson, J.A.D.
- GOLMIRZAIE, A.M. Comparisons of hybrids with different open pollinated (OP) generations of true potato seeds (TPS) for agronomic characters, 480, (abst).
- GOSSELIN, B., see Mondy, N.I.
- GOSSELIN, B., N.I. MONDY and W.J. EVANS. Effect of method of irrigation on the total glycoalkaloid and nitrate-nitrogen content of Rosa potatoes, 99.
- GOTH, R.W., see Sieczka, J.B.
- GREEN, W.M., R. ROBERTS and E. PEFFLEY. Influence of soil compaction on soil water content and Norgold Russet potato yields, 480, (abst).
- GROSS, D.C. Maximizing rhizosphere populations of fluorescent pseudomonads on potatoes and their effects on *Erwinia carotovora*, 697.
- GROZA, H., S. LOVE and D. HANE. Hill to hill variation of standard varieties in breeding plots, 481, (abst).
- GUDMESTAD, N., see Johansen, R.H.
- GUENTHER, J.F. and R.J. FOLWELL. Acreage response: an econometric analysis of the United States potato industry, 481, (abst).
- HADERLIE, L.C., see Halderon, J.L., Love, S.L.
- HAGEN, S., see Muneta, P.
- HALDERON, J.L., L.C. HADERLIE and A. SKROBACKI. Mechanical vine killing of potatoes, 415.

- HALSETH, D.E., *see* Siczka, J.B.
- HALSETH, D.E., W.L. HYMES and C.A. MAATTA. The effect of multiple storage applications of thiabendazole on field performance of potatoes, 481, (abst).
- HAMPSON, C.P. and R.M.J. STOREY. Temperature control in potatoes stored for french fries and crisps, 481, (abst).
- HANE, D., *see* Groza, H.
- HANNEMAN, R.E., JR., *see* Bamberg, J.B., Dodd, J.B., Hoska, K., Smejkal, J.E.
- HARRISON, M.T. and G.D. FRANC. Post-harvest chemical treatments for control of tuber infection by *Alternaria solani*, 247.
- HAYNES, F.L., *see* Haynes, K.G., Owen, H.R.
- HAYNES, K.G., *see* Owen, H.R.
- HAYNES, K.G. and F.L. HAYNES. The effect of day and night temperatures on bud initiation and flowering in diploid potatoes, 507.
- HEILAND, W.K. and M. KOZEMPEL. A mechanical destoner for small processing plants, 543.
- HENNINGER, M.R., *see* Siczka, J.B., Sterrett, S.B.
- HEYM, W.D., *see* Ewing, E.E.
- HEYM, W.D., E.E. EWING and A.G. NICHOLSON. Incorporating ratings of pest defoliation into growth models, 482, (abst).
- HICKS, G., *see* Sipos, J.
- HILLER, L.H., *see* Koller, D.C.
- HOANG, V.T., P.X. LIEM, V.B. DAN, N.D. DAM, N.X. LINH, N.V. VIET, P.X. TUNG and P. VANDER ZAAG. True potato seed research and development in Vietnam, 295.
- HOLLINGSWORTH, C.S., D.N. FERRO and R.H. VOSS. Direct application of reduced rates of aldicarb to potato seed pieces, 449.
- HOLM, D.G. Sangre selection studies: I. Selection and comparative trials, 21.
- HONESS, B.L. and J. DUNNETT. Alhama, Stemster, Skirza: Three new cultivars from Caithness, Scotland, 11.
- HOSAKA, K. and R.E. HANNEMAN, JR. Heterozygosity in the tuber-bearing *Solanum* species estimated by seed protein electrophoresis, 483, (abst).
- HOYOS, G.P., *see* Anderson, N.A.
- HOYOS, G.P., N.A. ANDERSON and H.L. BISSONNETTE. The survival of *Verticillium dahliae* and the inoculum potential of infected potato debris in the sandy soils of Central, Minnesota, 483, (abst).
- HOYOS, G.P., N.A. ANDERSON and H. BOCHOW. The effectiveness of fumigants to reduce inoculum in potato debris, 483, (abst).
- HUAMAN, Z., A. BALTAZAR and J. ESPINOZA. Studies on the effect of stigma exertion in true potato seed production, 484, (abst).
- HUNG, Y.-T. Biological treatment of potato wastewater with yeast, 484, (abst).
- HUNT, G.L.T., *see* White, G.D.
- HYMES, W.L., *see* Halseth, D.E.
- INGHAM, R.E., *see* Orłowsky, J.I.
- IRITANI, W.M., *see* Badshah, N.
- JANSKY, S.H., *see* Jacobsen, T.L., Thompson, A.
- JACOBSEN, T.L. and S.H. JANSKY. The effect of selection for tuberization in wild species on haploid *Solanum tuberosum*-wild species hybrid progeny, 485, (abst).
- JAWORSKI, C.A., *see* Bhagsari, A.S.
- JENSEN, L., C.C. SHOCK, T. STIEBER and E.P. ELDREDGE. Comparison of sprinkler and furrow irrigation on Russet Burbank potato stem-end fry color, 485, (abst).
- JOAQUIN, T.R. and R.C. ROWE. Identification of potato pathotypes within *Verticillium dahliae* based on vegetative compatibility groupings, 485, (abst).
- JOAQUIN, T.R., V.L. SMITH and R.C. ROWE. Seasonal variation and effects of wheat

- rotation on populations of *Verticillium dahliae* Kleb. in Ohio potato field soils, 439.
- JOHANSEN, R.H., *see* Thompson, A.
- JOHANSEN, R.H., B. FARNSWORTH, D.C. NELSON, G.A. SECOR, N. GUDME-STAD and P.H. ORR. Russet Norkotah: A new russet-skinned potato cultivar with wide adaptation, 597.
- JOHNSON, K.B., R.L. CONLON, S.S. ADAMS, D.C. NELSON, D.I. ROUSE and P.S. TENG. Validation of a simple potato growth model in the North Central United States, 27.
- JOHNSTON, G.R., *see* Coffin, R.
- JONES, E.D. A current assessment of *in vitro* culture and other rapid multiplication methods in North America and Europe, 209.
- JONES, W.J., *see* Egoville, M.J.
- KALAZICH, J.C. and R.L. PLAISTED. The association of trichome characters and agronomic traits in *S. tuberosum* × *S. berthaultii* hybrid populations, 486, (abst).
- KALLIO, A., *see* Lauer, F.
- KANIEWSKI, W.K. and P.E. THOMAS. A two-step ELISA for rapid, reliable detection of potato viruses, 561.
- KEENAN, M.K., *see* Coffin, R.
- KEZIS, A., *see* Work, T.M.
- KIM, C.H., *see* Bushway, A.A.
- KITCHEN, R.B., *see* Chase, R.W., Silva, G.H.
- KLEINKOPF, G.E., *see* Westerman, D.T.
- KLOOS, J.P., *see* Fernandez, B.B.
- KNIBBE, E., *see* Coffin, R.
- KNUTSON, K.W., *see* Alsadon, A.A.
- KNUTSON, K.W. Implications of new technologies for seed potato certification programs and seed growers, 229.
- KOLLER, D.C. and L.K. HILLER. Response of Russet Burbank potatoes to ethephon sprays, 529.
- KOZEMPEL, M., *see* Heiland, W.K.
- KOZEMPEL, M.F., *see* Egoville, M.J.
- KOZEMPEL, M.F., P.M. TOMASULA and J.C. CRAIG, JR. Potential of the ERRC food process simulator-selected examples, 486, (abst).
- KRESS, A., F. MOORE, M. WORKMAN and A. McSAY. Methods for determining growth stages and a performance index, 487, (abst).
- KWIATKOWSKI, S., *see* Brown, C.R.
- KWIATKOWSKI, S. and C.R. BROWN. Zeatin enhanced shoot regeneration in potato tissue cultures, 484, (abst).
- KWIATKOWSKI, S., M.W. MARTIN, C.R. BROWN and C.J. SLUIS. Serial microtuber formation as a long-term conservation method for *in vitro* potato germplasm, 369.
- LANGENBURG, S., *see* Coffin, R.
- LAUER, F., J.C. MILLER, JR., N. ANDERSEN, E. BANTTARI, A. KALLIO, S. MUNSON, P. ORR, D. PRESTON, D.G. SMALLWOOD, J. SOWOKINOS, G. TITRUD, R. WENKEL, J. WIERSMA and D. WILDUNG. Krantz: A russet cultivar for the irrigated sands, 387.
- LEE, G.S., *see* Sterrett, S.B.
- LEE, H.C., *see* Susnoschi, M.
- LEFFLER, R.G., *see* Dull, G.G.
- LENTINI, Z., R.L. PLAISTED and E.D. EARLE. Incorporation of insect resistance into improved potato varieties through somaclonal variation, 487, (abst).
- LENTINI, Z., R.L. PLAISTED and E.D. EARLE. Use of *in vitro* tuberization as a screening system for potato earliness, 488, (abst).

- LeTOURNEAU, D., *see* Muneta, P.
- LEVY, D., *see* Owen, H.R.
- LEWIS, R. and S.L. LOVE. A comparison of petiole N profiles and N utilization of eight potato cultivars, 488, (abst).
- LIEM, P.X., *see* Hoang, V.T.
- LIFSHITZ, Y., *see* Susnoschi, M.
- LINDER, C.R., *see* Rabinowitz, D.
- LINH, N.X., *see* Hoang, V.T.
- LIZARRAGA, R., *see* Dodds, J.H.
- LOISELLE, F., G.C.C. TAI, T.R. TARN and B.R. CHRISTIE. Application of multivariate variable deletion procedures to chipping quality traits, 489, (abst).
- LONIELLO, A., *see* Slack, S.A.
- LOVE, S.L., *see* Groza, H., Lewis R.
- LOVE, S.L. and L.C. HADERLIE. Potato (*Solanum tuberosum* L.) cultivar response to bentazon and oil, 489, (abst).
- LULAI, E.C. Induction of lipoxygenase activity increases: a response to tuber wounding, 490, (abst).
- LYNCH, D.R., *see* Mains, W.H.
- LYNCH, D.R. and R.H. COFFIN. Effect of short- and long-term exposure of seed tubers to low temperatures on the growth and yield of five potato cultivars, 57.
- LYNCH, D.R. and G.C.C. TAI. An analysis of the yield responses of eight potato genotypes to water stress, 490, (abst).
- MAATTA, C.A., *see* Halseth, D.E.
- MAINS, W.H., D.J. ETHIER and D.R. LYNCH. Automated, variable speed PTO for a plot-sized potato harvester, 365.
- MANZER, F.E. and A.R. McKENZIE. Cultivar response to bacterial ring rot infection in Maine, 333.
- MARTIN, M.W., *see* Brown, C.R. and Kwiatkowski, S.
- MARTIN, M.W. Use of sequential harvests in determining cultivar characteristics, 490, (abst).
- MASARU, I. and R. ORTIZ. Comparison of the parental value of FDR 2x and of 4x progenitors in two locations, 491, (abst).
- McDONALD, J.G. and W.K. COLEMAN. A re-evaluation of bromoethane and comparison to rindite for the post-harvest detection of potato virus Y in tubers by ELISA, 547.
- McHALE, N.A., *see* D'Antonio, V.L.
- McKENZIE, A.R., *see* Manzer, F.E.
- McKEOWN, A., *see* Coffin, R.
- McKEOWN, A. Emergence and yield of early potatoes from apical and basal halves of seed tubers, 492, (abst).
- McLAUGHLIN, R.J. and L. SEQUEIRA. Evaluation of an avirulent strain of *Pseudomonas solanacearum* for biological control of bacterial wilt of potato, 255.
- McLEOD, C.D., *see* Misener, G.C.
- McSAY, A., *see* Kress, A.
- MEREDITH, P. Distribution of size, shape and density of retail tubers and of french fries as quality indicators, 491, (abst).
- MIGNERY, G., *see* Park, W.
- MILLER, J.C. JR., *see* Bohac, J.R. and Lauer, F.
- MILLER, P.D., *see* Sinden, S.L.
- MISENER, G.C. and C.D. McLEOD. A plot planter for potatoes, 289.
- MITTEN, D.H., C. BOYES and J. CUCUZZA. *In vitro*-produced microtubers of potato, 492, (abst).

- MOHAN, S.K., *see* Davis, J.R.
MOJTAHEDI, H., *see* Brown, C.R.
MONDY, N.I., *see* Gosselin, B.
MONDY, N.I., C.B. MUNSHI and GOSSELIN, B. The effect of nitrogen fertilization on the quality of potatoes, 492, (abst).
MOORE, F., *see* Kress, A.
MOORE, R., *see* Sieczka, J.B.
MUNETA, P., D. LeTOURNEAU, S. HAGEN and J. BROWN. Temperature effects on reducing sugars in Lemhi Russet callus tissue, 493, (abst).
MUNSHI, C.B., *see* Mondy, N.I.
MUNSON, S., *see* Lauer, F.
MURPHY, A.M., *see* Young, D.A.
MURPHY, A.M. A greenhouse test to supplement field evaluation of breeding selections for common scab resistance, 493, (abst).
NELSON, D.C., *see* Bilski, J.J., Johansen, R.H. and Johnson, K.B.
NICHOLSON, A.G., *see* Heym, W.D.
NOWAK, J., *see* Sipos, J.
OCHOA, C.M. *Solanum bill-hookeri*: New wild potato species from Peru, 737.
OCHS, D.L., *see* Owen, H.R.
ORLOWSKY, J.I., M.L. POWELSON and R.E. INGHAM. Relationship of *Verticillium dahliae*, *Meloidogyne chitwoodi*, and irrigation level to potato early dying, 494, (abst).
ORMROD, D.P., *see* Pettitte, J.M.
ORR, P., *see* Lauer, F.
ORR, P.H., *see* Johansen, R.H.
ORTIZ, R., *see* Masaru, I.
OWEN, H.R., R.E. VEILLEUX, F.L. HAYNES and K.G. HAYNES. Photoperiod effects on 2n pollen production, response to anther culture, and net photosynthesis of a diplandrous clone of *Solanum phureja*, 131.
OWEN, H.R., R.E. VEILLEUX, D. LEVY and D.L. OCHS. Flow-cytometric analysis of DNA content in pollen and monoploid, diploid, and tetraploid protoplast-derived nuclei of *Solanum phureja*, 494, (abst).
PALLAIS, N., H. ASMAT, N. FONG and C. SANDOVAL. Factors affecting seedling vigor in potatoes: I. stage of seed development and presowing treatment, 494, (abst).
PALLAIS, N., R. GARCIA and N. FONG. Factors affecting seedling vigor in potatoes: II. genotype, after-ripening and seed priming, 495, (abst).
PARK, W., G. MIGNERY and H. WENZLER. Use of the patatin promoter to direct the expression of foreign genes to tubers in transgenic potato plants, 495, (abst).
PARRY, R.H., *see* Boiteau, G.
PAVEK, J.J., *see* Corsini, D., Stark, J.C.
PEAVEY, S., *see* Work, T.M.
PEFFLEY, E., *see* Green, W.M.
PELLETIER, Y., *see* Boiteau, G.
PELOQUIN, S.J., *see* Buso, J.A., Darmo, E., Watanabe, K., Werner, J.F. and Yerik, G.
PETITTE, J.M. and D.P. ORMROD. Effects of sulphur dioxide and nitrogen dioxide on shoot and root growth of Kennebec and Russet Burbank potato plants, 517.
PHATAK, S.C., *see* Bhagsari, A.S.
PINEDA, C.R. Potato breeding in Colombia, 496, (abst).
PLAISTED, R.L., *see* Bonierbale, M.W., Kalazich, J.C., Lentini, Z.
PORTER, G.A., *see* Sieczka, J.B.
PORTER, L.K., *see* Westerman, D.T.
POTTS, M.J., *see* White, G.D.
POWELSON, M.L., *see* Orłowsky, J.I.

- PRESTON, D., *see* Lauer, F.
- PSCHIEDT, J.W. and W.R. STEVENSON. The critical period for control of early blight (*Alternaria solani*) of potato, 425.
- QUIROS, C.F., *see* Rabinowitz, D.
- RABINOWITZ, D., C.R. LINDER, D.S. DOUCHES and C.F. QUIROS. Determining natural hybridization between *S. sparsipilum* and *S. stenotomum* in the Andes, 496, (abst).
- RAHIMI, F., C. CARTER and J.N. SACALIS. Flower abscission and ethylene evolution in *Solanum tuberosum*, 496, (abst).
- REEVES, A.F. II. Varietal differences in potato tuber greening, 651.
- REYNOLDS, L., *see* Coffin, R.
- ROBERTS, R., *see* Green, W.M.
- ROBERTS, S. and H.H. CHENG. Estimation of critical nutrient range of petiole nitrate for sprinkler-irrigated potatoes, 119.
- ROM, C.R., *see* Badshah, N.
- ROSEMAN, Y., *see* Susnoschi, M.
- ROUSE, D.I., *see* Johnson, K.B.
- ROWE, R.C., *see* Joaquim, T.R.
- RUSSO, J.M., K.B. EVENSEN and H.L. BRAUN. A decision-making scheme for potato quality, 341.
- SACALIS, J.N., *see* Rahimi, F.
- SANDOVAL, C., *see* Pallais, N.
- SANTO, G.S., *see* Brown, C.R.
- SCHNEIDER, A.T., *see* Davis, J.R.
- SEABROOK, J.E.A. and S. COLEMAN. Guidelines for shipping *in vitro* potato plantlets, 301.
- SEABROOK, J.E.A. and S. COLEMAN. Shipping potato cultures, 497, (abst).
- SEABROOK, J.E.A. and G. GARRELL. Raw city water as a source of contamination of potato stock plants for culture, 497, (abst).
- SECOR, G.A., *see* Johansen, R.H.
- SEQUEIRA, L., *see* McLaughlin, R.J.
- SHETTY, K. and R.B. DWELLE. The influence of film wrapping on the keeping quality, physical and sensory attributes of 'Russet Burbank' potatoes, 498, (abst).
- SHOCK, C.C., *see* Eldredge, E.P. and Jensen, L.
- SHOCK, C.C., T. STIEBER and E.P. ELDREDGE. Interaction effects of potato genotype and irrigation regime on yields and quality, 498, (abst).
- SHUMAKER, J.R., *see* Siczka, J.B., Weingartner, D.B.
- SIECZKA, J.B., R.E. WEBB, D.R. WILSON, R.W. GOTH, D.E. HALSETH, S.B. STERRETT, M.R. HENNINGER, G.A. PORTER, J.R. SHUMAKER and R. MOORE. Coastal Russet: A mid-season Russet-skinned potato cultivar, 407.
- SILVA, G.H., *see* Chase, R.W.
- SILVA, G.H., R.W. CHASE and R.B. KITCHEN. Influence of irrigation, nitrogen and calcium levels on specific gravity and internal defects of potatoes, 498, (abst).
- SINDEN, S.L., *see* Deahl, K.L.
- SINDEN, S.L., P.D. MILLER and K.L. DEAHL. Electroporation-mediated infection of potato leaf protoplasts with potato spindle tuber viroid (PSTV), 499, (abst).
- SINGH, R.R., *see* Boiteau, G.
- SINGH, R.P. and A. BOUCHER. Loss of potato spindle tuber viroid from tuber tissues after repeated freezing, 283.
- SINGSIT, C. and R.E. VEILLEUX. Enhanced genetic exchange between gene and centromere after *in vitro* regeneration of 2N pollen producing plants of *Solanum phureja*, 499, (abst).
- SINGSIT, C. and R.E. VEILLEUX. Intro and interspecific transmission of androgenesis

- of 2N pollen producing selections of diploid potato species in anther culture, 500, (abst).
- SIPOS, J., J. NOWAK and G. HICKS. Effect of daminozide on survival, growth and yield of micro-propagated potatoes, 353.
- SKROBACKI, A., *see* Halderson, J.L.
- SKROCH, C., D.J. GALLENGER and P.L. SPINSKI. Influence of medium calcium on *Erwinia* severity in potato tissue culture plantlets, 500, (abst).
- SLACK, S.A., *see* Bishop, A.L. and Clayton, M.K.
- SLACK, S.A. SYMPOSIUM: Applications of tissue culture from micropropagation techniques to potato production, 161. Preface, 163.
- SLACK, S.A. and C. GEDYE. Screening for bacterial ring rot resistance in the inter-regional potato (IR-1) germplasm collection, 500, (abst).
- SLACK, S.A., A. WESTRA and A. LONIELLO. Bioassay of *Corynebacterium sepedonicum* using potato plantlets, 501, (abst).
- SLAVNIK, M., *see* Coffin, R.
- SLUIS, C.J., *see* Kwiatkowski, S.
- SMALLWOOD, D.G., *see* Lauer, F.
- SMEJKAL, J.E., J.B. BAMBERG and R.E. HANNEMAN, JR. Effect of refrigeration and hermetic sealing on long-term preservation of *Solanum* seed germinability, 501, (abst).
- SMITH, D., *see* Work, T.M.
- SMITH, V.L., *see* Joaquim, T.R.
- SNYDER, R.G., *see* Ewing, E.E.
- SONNINO, A., *see* Yaoage, H.
- SORENSEN, L.H., *see* Davis, J.R.
- SOWOKINOS, J., *see* Lauer, F.
- SPINSKI, P.L., *see* Skroch, C.
- STARK, J.C., *see* Corsini, D. and Davis, J.R.
- STARK, J.C. and R.B. DWELLE. Antitranspirant effects on yield, quality, and water use efficiency of Russet Burbank potatoes, 501, (abst).
- STARK, J.C., J.J. PAVEK and D.L. CORSINI. Evaluating potato germplasm for drought tolerance, 502, (abst).
- STERRETT, S.B., *see* Sieczka, J.B.
- STERRETT, S.B., G.S. LEE and M.R. HENNINGER. Evaluation of internal heat necrosis using a heat-sun model, 502, (abst).
- STEVENSON, W.R., *see* Pscheidt, J.W.
- STIEBER, T., *see* Eldredge, E.P., Jensen, L. and Shock, C.C.
- STORCH, R.H., *see* Bergeron, D.
- STOREY, R.M.J., *see* Hampson, C.P.
- SULLIVAN, J.F., *see* Egoville, M.J.
- SUSNOSCHI, M., B. COSTELLOE, Y. LIFSHITZ, H.C. LEE and Y. ROSEMAN. Daniel-Navan: A white-skinned, medium-late potato cultivar suitable for regions with a hot climate, 269.
- SUSNOSCHI, M., B. COSTELLOE, Y. LIFSHITZ, H.C. LEE and Y. ROSEMAN. Nieta: An early maturing, high-yielding potato cultivar adapted to hot weather, 277.
- TAI, G.C.C., *see* Coffin, R., Loiselle, F. and Lynch, D.R.
- TAI, G.C.C., R.H. COFFIN and R.Y. YADA. The effect of scion and stock autografting and heterografting on specific gravity, sugar content and chip color of potatoes, 141.
- TALLEY, E.A. and M.J. EGOVILLE. Extraction of free amino acids, 17.
- TANKSLEY, S.D., *see* Bonierbale, M.W.
- TARN, T.R., *see* Coffin, R., Loiselle, F. and Young, D.A.
- TENG, P.S., *see* Johnson, K.B.
- THOMAS, P.E., *see* Brown, C.R. and Kaniewski, W.K.
- THOMPSON, A., S.G. JANSKY and R.H. JOHANSEN. Early screening for sucrose and reducing sugar content of seedling tubers, 503, (abst).

- THORNTON, M.K., *see* Cranshaw, W.S. and Gawronska, H.
- TIMM, H., *see* Alsadon, A.A.
- TITRUD, G., *see* Lauer, F.
- TOMASULA, P.M., *see* Kozempel, M.F.
- TRUE, R., *see* Work, T.M.
- TUMAPON, A.S., *see* Fernandez, B.B.
- TUNG, P.X., *see* Hoang, V.T.
- VALENCIA, L. Field behavior of the adult Andean weevil (*Premnotrypes vorax* (Hustache)) in Colombia, 503, (abst).
- VEILLEUX, R.E., *see* Owen, H.R. and Singsit, C.
- VIET, N.V., *see* Hoang, V.T.
- VOSS, R.H., *see* Hollingsworth, C.S.
- WAGNER, S.A., *see* Boersig, M.R.
- WATANABE, K. and S.J. PELOQUIN. High frequency of ps gene in group *andigena*: occurrence and frequency of tetraploids from $2x \times 2x$ inter-population crosses, 503, (abst).
- WEBB, R.E., *see* Bhagsari, A.S. and Siczka, J.B.
- WEIDNER, R.J., *see* Christ, B.J.
- WEINGARTNER, D.P. and J.R. SHUMAKER. In row injection of metham sodium and other soil fumigants for control of nematodes and soil borne potato diseases in Florida, 504, (abst).
- WENKEL, R., *see* Lauer, F.
- WENZLER, H., *see* Park, W.
- WERNER, J.E. and S.J. PELOQUIN. Cytology and breeding behavior of 2N eggs, 504, (abst).
- WESTERMAN, D.T., G.E. KLEINKOPF and L.K. PORTER. Nitrogen fertilizer efficiencies on potatoes, 377.
- WESTRA, A., *see* Slack, S.A.
- WHITE, G.D., M.J. POTTS and G.L.T. HUNT. A computer aid to potato seed production, storage and distribution in developing countries, 551.
- WIERSEMA, S., *see* Almekinders, C.
- WIERSMA, J., *see* Lauer, F.
- WILDUNG, D., *see* Lauer, F.
- WILKINSON, J.C., *see* Alsadon, A.A.
- WILSON, D.R., *see* Siczka, J.B.
- WILSON, J., *see* Coffin, R.
- WORK, T.M., D. SMITH, S. PEAVY, R. TRUE, A. KEZIS and A. BUSHWAY. Investigation of consumer attitudes regarding marketing of a potato product through focus group interviews, 505, (abst).
- WORKMAN, M., *see* Kress, A.
- WRIGHT, N.S. Assembly, quality control and use of a potato cultivar collection rendered virus-free by heat therapy and tissue culture, 181.
- YADA, R.Y., *see* Coffin, R. and Tai, G.C.C.
- YAOAGE, H., A. SONNINO and U. CIRIO. Ovariole number of Italian geographic populations of Colorado potato beetle (*Leptinotarsa decemlineata* Say), 125.
- YERK, G. and S.J. PELOQUIN. Clonal evaluation of haploid-wild species hybrids, 505, (abst).
- YOUNG, D.A., R.H. BAGNALL, H. DeJONG, A.M. MURPHY and T.R. TARN. Donna: A yellow-fleshed potato cultivar with potential in export seed markets, 509.
- ZAAG, P., VANDER, *see* Escobar, V., B.B. Fernandez and V.T. Hoang.
- ZEHNDER, G.W. and G.K. EVANYLO. Influence of Colorado potato beetle sample counts and plant defoliation on potato tuber production, 725.

73rd Annual Meeting of The Potato Association of America

**July 30-August 3, 1989
Oregon State University
Corvallis, Oregon**

The 73rd meeting of the Association will be held on the Oregon State University campus in Corvallis from Sunday, July 30 through Thursday, August 3. Lodging will be available in campus dormitories and nearby motels.

The week's activities will begin with a Sunday evening wine and cheese reception at the LaSells Stewart Center. Located on the OSU campus, the Stewart Center will also house the Monday, Tuesday, and Thursday paper sessions. On Wednesday, August 2, participants can choose between spending the day at the Oregon coast or touring the Willamette Valley. The Coastal Tour includes opportunities for chartered salmon fishing, beachcombing, a visit to the sea lion caves and sightseeing. The Willamette Valley Tour will explore western Oregon agriculture and forestry. In the evening the tours will converge at a beachfront hotel in Newport for a traditional Indian style salmon bake. The Thursday evening banquet will feature live music and dancing.

A full itinerary of activities will be available to non-delegates and children during the meeting. Pre-convention tours will be available to all participants July 27-30 and will feature white-water rafting on the Deschutes River, sightseeing tours of the Cascade Mountains, a gondola ride to the top of Mt. Bachelor and, depending on delegate interest, a visit to the Columbia Basin potato industry of Oregon and southern Washington.

Detailed information will be presented in the March issue of the American Potato Journal. For further information please contact:

Al Mosley
Department of Crop Science
Oregon State University
Corvallis, OR 97331
(503) 754-2964

or Mary Powelson
Dept. of Botany and Plant Path.
Oregon State University
Corvallis, OR 97331
(503) 754-3451

SUBJECT INDEX

- ABA, 168
 Acme supreme juicerator (model 6001), 623
 Activated charcoal, 306
 Adaxial and abaxial surface, 393, 400
 After cooking darkening, 599
 Air pollution sensitivity (ozone), 329
 Analysis, 17, 18
 Anther and embryo culture, 173, 500
 Antigenic anomaly, 237
 Ascorbic acid, 91, 94, 95
 Ascorbic acid determination, 91
 Autografting, 141
 Automated microproduction systems, 223
 Automated potato harvester, 305
 Automation, 365
 Axenic cuttings, 371
 Bacteria
 Bacterial ring rot, 49, 54, 55, 237-8; 241, 283, 325, 331, 333, 473, 500, 599, 711-13, 719
 Clavibacter michiganense subsp. *sepedonicum*, 712
 Corynebacterium sepedonicum, 712
 Bacterial soft rot, 697
 Bacterial wilt, 457, 504
 Clavibacter michiganense nebraskense, 200
 sepedonicum, 237, 238
 Corynebacterium nebraskense, 244
 Corynebacterium sepedonicum, 54, 184, 213, 237-9, 241-4, 333
 SS20 strain, 237-8, 240-4, 500-1
 SS43, 238, 240, 244
 SSNF50 strain, 237, 240-1, 244
 SSNG201 strain, 237-8, 241-4
 coryneform bacteria, 184
 Erwinia, 176, 199, 213
 carotovora, 184, 479, 500, 697-9, 701, 703-7, 741-3, 745-8, 750-1
 atroseptica, 213, 500, 699, 707, 741-3, 746-8, 750, 751
 carotovora, 183-4, 213, 500
 Erwinia spp., 199, 213
 Pathogen combinations, 745-9
 suspensions, 743
 Pseudomonad
 antagonistic, 698-700, 707-8
 strains, 697-8, 700-1, 704-5, 707-8
 Pseudomonas,
 fluorescens (W4F68), 697, 699, 700, 702, 703, 704, 705, 706, 707
 (W4F393), 699, 700
 putida (W4P63), 697, 698, 699, 700, 702, 703, 704, 705, 706, 707
 solanacearum, 176, 244, 255-6, 258-9, 261, 264-7
 Strain B-82, 255, 256, 257, 258, 260, 262
 263, 264, 265, 266, 267, 457, 501
 Strain B1, 257
 Strain B82-R, 257
 Strain BR5, 255, 257, 258, 259, 262, 265
 Strain 276, 255, 258, 259, 262
 Strain K60, 257
 Streptomyces scabies, 13, 14, 15, 54, 279, 493
 Baking quality, 49, 54, 511, 514
 Bailing, 49, 54
 BAP, 172
 Beckman Model 952A NO₂ analyzer, 519
 Beckman Model 953 SO₂ analyzer, 519
 BIBAK (coop), 458
 BIBAK-Mindanao, 204
 Biological control, 697-9, 701, 704, 708
 Biological disease control, 255
 Biometrics, 125
 BIO-TEK model EL 307EIA reader, 564, 634
 Blackspot resistance, 475
 Blender extraction method (TPS), 576, 579
 BLITECAST, 427, 435, 436
 Blight forecasting models, 435
 Boiling quality, 511, 514
 Bolter, 21-2
 Breeding, 75, 494, 496, 499, 500, 504
 allotetraploids, 76
 androgenesis, 131
 anaphase I, 78
 anaphase II, 75
 anther culture, 131, 134-7
 DD clones, 76
 diploids, 132
 EBN number, 81-2
 4x × 2x cross, 132
 hexaploid derivatives, 76
 interploid hybridization, 132
 introgression, 75, 81, 83
 metaphase I and II, 78

- monoploid genotypes, 132
- recombination, 75, 81
- tetraploids, 75, 132
- triploid hybrids, 75
- triploidy, 75, 76, 78
- 2N pollen, 75, 131-7
- 2N pollen producers, 75
- Breeding clones, 370
- Bud abortion, 589-590, 592, 594-5
- Bud initiation, 589, 591-2
- Burundi, 551
- Butanedioic acid mono (2-2-dimethylhydrazide), 353
- C.A. storage, 651
- Calcium infiltration, 652
- Canopy development, 1, 3, 4, 6-8
- Canopy photosynthesis, 393, 396-8, 401
- CCC, 172
- Chemical and chemical compounds
 - Acetonitrile, 624
 - Ammonium nitrate, 199, 379
 - Ammonium sulfate, 67, 377
 - Antitranspirant
 - UC86177, 501-502
 - Calcium hydroxide, 744, 749, 751
 - Calcium sulfate, 87
 - (2-chloroethyl) phosphonic acid, 529
 - Cardiolipin, 627
 - Citrate-phosphate buffer, 624, 626
 - d-biotin, 634
 - Detergents, 652
 - Epsom Salt, 100
 - Labeled nitrogen, 377
 - Magnesium chloride, 133
 - Metham sodium, 504
 - Methanol (HPLC) grade, 634
 - Na cholate, 627
 - Na deoxycholate, 17
 - Nalidixic acid, 699, 701, 704
 - Na O Cl, 634, 742
 - NH₄ OH, 624
 - (NH₄)₂ SO₄, 623
 - Nitrogen dioxide, 517, 520, 521
 - Non-ionic detergents, 621, 624
 - Phosphate buffer, 623, 626
 - Phosphatidylglycerol, 627
 - Potassium nitrate, 377
 - Ribovirin, 637
 - RM62 vitamins, 634
 - Rindite, 547-8, 550
 - Sodium cholate, 626
 - Sodium chloride, 85, 605-7
 - Sodium citrate, 133
 - Sodium sulfate, 85, 605-7
 - Streptomycin, 699, 701, 704
 - Sulfonic acid, 133
 - Sulfuric acid, 419, 422
 - Sulfur dioxide, 517, 520, 521
 - Surfactants, 652
 - Thiamine, 634
 - Triton CF-54, 69, 621, 624
 - Triton X-100, 69, 621, 624
 - Tween 20, 634
 - Tween 80, 626
 - Urea N, 379
- Certification, 229-32
- Chemical vine killing, 415
- Chip color, 141-4, 478, 482, 485
- Chip quality, 474
- Chipping quality, 489
- Chromatography, 67, 69
- Chromatography plates HP-KE (Whatman), 623
- Clonal multiplication, 354
- Clonal selection, 199, 209, 215
- Clones, 21, 23, 24
- Cooking quality, 49
- "Commercially acceptable" potato quality, 347-9
- Computer model for production, 551
- Corky ringspot, 504
- (COTESUV)/Peru/C.I.P. project, 201
- Critical nutrient range (CNR), 119, 120, 123
- Crop rotation, 439, 440
- Cryopreservation of germplasm, 169
- Cryovac D-955, 498
- Culinary quality, 325, 330, 390, 599
- Culinary tests, 279
- Culture media, 185, 216, 304
- CVHA, 552, 553
- DAS, 561
- DAS-ELISA assay, 634
- (DAS-ELISA) procedure, 561-4, 568-70
- Day and night temperature effects-flowering, 589, 590-92, 595
- Day and night temperature effects-bud initiation, 589-92
- Defoliation rating, 27, 40, 41, 452, 482, 725, 727
- Dehydration, 415, 416, 420
- Desiccation, 415
- DeVilbiss atomizer, 745
- Determination of Km, 627
- Developing countries, 551

- Diagnostic guide, 119, 120
Diploid potato seed, 576-7
Disease control, 255, 425
Disease immunity, 76
Disease progress curve (AUDPC), 584-7
Disease resistance, 49, 54, 76, 334
Disease severity, 261, 263
DNA, 494, 499, 500
DNA sequences, 471
Dormancy breaking, 547
Bromoethane, 547, 548, 549, 550
Carbon tetrachloride, 548
Dichloroethane, 548
Ethylene chlorhydrin, 548
Rindite, 547, 548, 549, 550
Dormancy ratio, 580
Drought resistance, 606, 607
Drought stress, 109, 110, 112
Dry matter content, 272
Earliness, 488
Early blight, 425, 474
Early harvest, 52
Econometric analysis, 481
Eelworm resistance, 11
Electronics, 365
Electrophoresis (PAGE), 483
ELISA, 547-50, 561-2, 564-9, 599, 634-7
Elite seed, 181
Environmental conditions for growth
(potato plantlets), 302, 304
Enzyme activity, 621, 623, 626
Enzyme assay, 69, 623
Enzyme concentration, 626, 628
Enzyme extraction, 68
Enzyme isolation, 622
Enzyme purification, 68, 69
Enzymes, 67-70, 99
Epidemiology, 639, 642, 645
Establishment of potato cultures, 302
Experimental vine puller, 418
Exposed tubers (from vine pulling), 422
Extraction methods for TPS on dormancy,
573, 574, 576, 578, 579
Extraction methods of TPS on germination,
573, 574
Farmer adoption, 295
FAST, 430-3, 435-6
Feeding deterrent, 67
Fertilizer, 2, 31
Field establishment of plantlets, 357, 360
Flow-cytometric analysis, 131, 133
Flower abscission, 496
"Flush thru" system, 186, 189, 472-3
Foliage dry weight, 88, 89
Food process simulator, 486
Fertilization, 377
4x X 4x crosses, 472, 475, 505
4x X 2x crosses, 472, 503, 576, 580
Free amino acids, 17, 19
French fries, 387, 390
Frost damage, 169
Fungi, 211
Alternaria solani, 2, 247-52, 269, 277, 279,
425-7, 429-34, 436, 458
Colletotrichum coccodes, 475-6
Early blight, 247, 511
Early dying disease, (PED), 440
Fusarium coeruleum, 511
Fusarium sambucinum, 511, 741-3, 746,
748, 750-1
Fusarium solani, 741-3, 746, 748, 750-1
Fusarium tuber rot, 248
Microsclerotia, 440, 445
Phoma exegua var. *foveata*, 708
Pythium spp., 708
Phytophthora infestans, 13, 14, 15, 205, 213,
296, 298-300
Powdery scab, 473
Rhizoctonia, 22
Spongopora subterranea, 583, 587
Spore trapping, 427
Synchytrium endobioticum, 13-15
Verticillium, 22
Verticillium albo-atrum, 440, 469, 511
Verticillium dahliae, 439-46, 469, 476, 483,
485, 494, 698
V. dahliae populations, 442-5
Verticillium wilt (*V. dahliae*), 269, 270,
277-9, 599
Fungicides, 31, 426
Chloropicrin, 573, 577
Thiabendazole, 481
Fumigant
Vapam, 483
Fumigation, 483
Fusarium decay, 741
Gamma rays, 651
Genetic engineering, 174
Addco Business Consultants, 221
Ag. Biotech Consultants, 221
Genetics, Inc. (PGI), 221
Native Plants, Inc. (NPI), 221
Limited Generation System, 222
Proprietary Production Systems, 224

- Genetic map, 471
Genotypes, 370, 374
Germplasm, 167
Germplasm conservation, 168
Glycoalkaloids, 7, 67-9, 99, 329, 410, 476, 515, 599, 622, 624
 aglycone, 68
 alpha-chaconine, 69-71
 alpha-solanine, 67-71
 A-chaconine, 621-9
 A-solanine, 622, 623
 B-chaconine, 621, 624, 625, 627
 Beta 2-chaconine, 67, 72
 B₂-chaconine, 624, 625, 627
 effect of detergents on glycoalkaloids, 625-7
 glycoalkaloid glycosidase, 621, 623
 glycoalkaloids in peels, 621
 pH effect on glycoalkaloids, 625, 626
 rhamnosidase, 72, 621, 622, 624, 625, 627, 628
 solanidine, 651
 temperature effect on glycoalkaloids, 624
Giant hill, 2, 196
Grading, 341
Grafting, 141
Gram staining, 336
Greening ratings, 652-7
Gro-Lux, 302
Groundwater contamination, 449, 450
Growing degree days, 427
Growing media, 133
Growing temperature, 399
Growth, 59, 60, 85, 88, 89
Growth crack, 387
Growth periods, 726-34
Growth regulation, 168-9
 benzyladenine, 487
 cytokinins, 471
 Ethephon, 468, 529, 530-3
 Ethrel, 529
 gibberellic acid, 468, 495, 573-8, 606
 kinetin, 634
 lipoxygenase, 490
 trans-zeatin, 487
 zeatin riboside, 487
Growth responses, 520, 522-3
 flowering, 535-9
 haulm vigor, 536-9
 photosynthetic photo flux, 518
 planar leaf area (PLA), 519-21
 root growth, 517
 shoot growth, 517
 shoot emergence, 548
 water concentration responses, 520, 522-3
 herbicide injury, 536, 539-40
Growth retardants, 168, 353, 369
Growth stages, 487
Growth strains of *Pseudomonas solanacearum* in vitro, 258
Handling plantlet cultures after shipment, 307
Hassia potato harvester, 305, 308
Heat necrosis, 502
Heat stress resistant, 269, 277, 279
Heat therapy, 181, 209
Heat tolerance, 479
Heat treated shoot tips, 633, 635-6
Hemocytometer, 743
Herbicide, 31
Heterografting, 141
High dry matter, 269
Hilling, 1, 3, 5, 31
Hill to hill variation, 481
Hollow heart, 387, 389, 498-9
(HPLC), 67, 70, 72, 142, 624
Hypergeometric distribution, 711, 718
Hydroponic systems, 470
"Ideal" potato quality, 344, 348
IFAS, 239, 241, 244
Internal heat necrosis, 502
In vitro tuberization, 167, 172
Insecticides, 31
 Aldicarb, 449-52, 454-5, 535-40
 Azinphosmethyl, 535
 DDT, 535
 Disulfoton, 535, 537, 539-40, 584
 Disyston 15G, 537
 Methidamophos, 635
 Phorate, 535-40
 Systemic insecticides, 535-6
 Temik, 449-51
 Temik, 449, 537
 Thimet 20G, 537
Insects, 67, 68
 Acyrtosiphon pisum, 641-2, 645-7
 Alate aphid species, 641-5
 Amphorophora rubi, 641, 642, 645
 Andean weevil, 503
 Aphids, 639, 641
 Aphid vectors, 646
 Aphis nasturtii, 647
 Aulacorthum solani, 647
 Buckthorn aphid, 647
 Chrysomelidae, 725

- Coleoptera, 725
 Colorado potato beetle, 67-8, 72, 125-9,
 356, 449-54, 476, 482, 725-6, 728
 CPB larvae, 68, 72
 CPB life stages, 727-8
Drepanaphis sp., 641-2, 645
 Geographic population of CPB in Italy,
 127
 Green peach aphid, 639, 641, 646-7
Hayhurstia atriplicis, 641, 643, 645, 647
Hyperomyzus lactucae, 646, 647
Leptinotarsa decemlineata, 67, 125, 449, 725-6
Liosomaphis sp., 647
Lygus spp., 537
Macrosiphum euphorbiae, 647
Myzus certus, 647
Myzus persicae, 639, 641, 643-4, 646-7
Nasonovia ribisnigri, 647
 New Brunswick aphid fauna, 642-3
Rhopalosiphum maidis, 641, 643, 645, 647
Rhopalosiphum padi, 646, 647
Paratrioza cockerelli, 537
 Potato flea beetle, 476
 Potato psyllid, 537
Premnotrypes vorax, 503
 Insect control, 449-50
 Insect feeding deterrents, 68
 Insect resistance, 67-8, 125, 487
 CPB densities, 450-2
 defoliation by CPB, 451-2
 Internal brownspot, 498
 Interspecific hybrid, 75, 77
 IPM, 630
 Irradiation effects, 469
 Irrigation, 120, 485, 494, 498
 irrigation method, 99
 impact sprinkler, 99, 102
 microjet mist, 99, 102
 Kms values, 621
 LAT, 183, 199, 240-1, 244
 Latex agglutination, 336
 Leaf area, 730, 731, 733
 Leaf area index, (LAI), 393, 396, 398
 Leaf-bud cuttings, 199
 Light intensity for greening, 652
 Long term seed preservation, 501
 Low temperature, 57-8
 Low temperature injury, 58, 64
 Lund and Sun formula, 712
 Maillard browning, 17, 19
 Maillard reaction, 145
 Main crop culture, 269
 Main crop maturity, 325
 Marjorie Ellen MacGillivray Aphid
 Reference Collection, 640
 Marketing, 505
 Mechanical destoner, 543-5
 Mechanical vine killing, 415
 Media, 213
 alkaline phosphatase, 563
 antisera, 563
 bacterial culture media, 257
 broth-yeast extract (NBY), 743
 crystal violet pectate agar, 701
 King's medium B (KB), 700
 potato dextrose agar (P.D.A.), 743
 talc-methylcellulose water suspension,
 700, 704
 tryptic soy agar, 701
 culture medium for plantlets, 304
 daminozide effects (B-NINE), 353
 F (ab)¹₂ fragments, 562-7, 570
 gamma globulins, 561, 563, 565, 566-7
 Hoagland-Arnon solution, 606
 Hoagland solution, 591
 inoculum preparation, 335
 micropropagation medium, 370
 Murashige-Skoog (MS) medium, 634-5
 Murashige and Skoog RM 62 salts
 (preparation), 370
 nucleic acid extracts, 283-4
 P-nitrophenol substrate, 564
 sodium polygalacturonic acid agar
 (SPA), 441
 soil drench, 260
 sunshine-mix, 606
 Media ingredients, 215
 Medium-late cultivar, 387
 Meristem culture, 633, 635-6
 Micropropagated potato growth, 353,
 355, 358-9, 362
 Micropropagated potato survival, 353-4
 Micropropagated potato yield, 353-4, 361-2
 Micropropagation, 167, 170, 209, 217-8,
 223, 229, 355, 369
 Microtuber formation, 369
 Microtubers, 302, 468
 Mid-season cultivar, 407
 Mineral oil sprays, 646
 Minitubers, 468, 492
 M-S formula, 213, 214
 Modified potato digger, 305
 Molecular biology seminar, 632
 Natural hybridization, 496

- Nematode, 536
 Belonolaimus longicaudatus, 504
 Columbia root knot, 472
 Globodera pallida, 272, 469
 Globodera rostochiensis, 12, 13, 14, 15, 272, 279
 Golden, 471
 Meloidogyne chitwoodi, 472, 494
 Meloidogyne incognita, 504
 Potato cyst nematode, 509, 511
 Pratylenchus penetrans, 440, 443
- New technologies for seed production, 229, 230, 233
- Nimos (flat belt) vine puller, 417
- Nitrate nitrogen, 99, 100, 101-2
- Nitrogen
 fertilization, 377-8, 492
 fertilizer efficiency, 377-8, 381
 preplant fertilization, 379
 profiles, 488
 nitrogen application timing, 377
 nitrogen recovery, 377, 380-1, 383
 nitrogen translocation, 377, 380
 petiole nitrogen, 380, 384
 soil nitrogen concentrations, 383, 385
- Nitrogen timing, 119, 123
- Nitrogen use efficiency, 119-20, 122
- Nucleic acid, 283
- Number of plants, 88, 89
- ODD, 237, 240-1, 243-4
- O.D. values, 564-9
- Ovarioles (CPB), 125-8
- PAA affairs
 Annual meeting abstract, 588
 Appointment of Editor-in-Chief, 617
 Call for graduate student papers for 1989 annual meeting, 588, 754
 Call for nomination for honorary life members, 613, 755
 Call for papers for 1989 annual meeting, 588
 Call for papers for 73rd annual meeting, 753
 Committees for 1988-1989, 692
 Conference on pink eye disease, 506
 Financial statement, 671
 Journal distribution, 680
 Life Members, 614 (1947 to 1987)
 Arthur Kelman, 463
 Robert E. Thornton, 465
 Minutes of 72nd annual meeting, 659
 Obituaries
 John C. Campbell, 376
 Ray H. Carter, 695
 Arthur Hawkins, 105
- Pre-registration for 72nd Annual Meeting, 309-324
- Retirement of Editor-in-Chief, 617
- Recommendations for procedures for Honorary Life Member selection, 684
- Reports, 670
 Advertising manager, 675
 Business Editor, 674
 Editorial office, 676
 Financial committee, 673
 Graduate student competition, 682
 Honorary Life Membership, 683
 International relations, 685
 Journal review committee, 681
 Membership committee, 678
 Membership secretary, 680
 Site selection committee, 681
 Treasurer's 1987-88, 670
 1988-1989 section chairs, 691
- Section reports
 Breeding and genetics, 685
 Extension, 686
 Pathology, 688
 Physiology, 689
 Seed certification, 685
 Utilization, 689
- PAGE, 183, 213
- Parental value, 491
- Partial purification, 621
- Partitioning, 377
- Patatin promoter, 195
- Pathogen elimination, 170, 209
- Pathogen testing, 209, 212
- Pathogen testing methods, 183, 209, 211, 213
 crystal violet pectate, 213
 eggplant, 213
 ELISA, 183, 199, 203, 211, 213, 230
 gram stain, 213
 immunofluorescence, 213
 latex agglutination, 213
 nutrient broth, 213
 Ouchterlony double diffusion, 213
 potato dextrose agar, 213
 Richardson's solution, 213
 Simmons citrate pectate, 213
 Stewart's medium, 213
 yeast dextrose CaCo_3 agar, 213
- P-days, 425, 427, 431-6
- PED syndrome, 440, 494

- Percent dry matter, 478
- Pest management, 425-6, 436, 482
 critical period for early blight control, 425-6, 428, 434
 plant susceptibility, 436
 days after emergence (DAE), 428-9
 disease control, 426
 disease progress curve (AUDPC), 427, 429, 434
 spray schedules, 425-6, 428
- Pest suppression, 535
- Pesticides
 aldicarb, 380
 Bentazon, 489
 Bromoethane, 547, 548, 550
 Camposon, 529
 captafol, 2, 250
 captan, 250, 251, 252, 744, 749
 chlorine dioxide, 249, 250
 Cyfluthrin, 726
 Dinoseb, 415, 419
 Dithane M-45 (80WP), 744
 Diquat, 416
 fenvalerate, 726
 iptodione, 250
 mancozeb, 2, 744, 749, 751
 Mertect 340-F, 744, 745, 751
 Metribuzin, 300, 535, 536, 537, 539, 540
 mineral oil sprays, 646
 Orthocide plus, 744, 749
 profenofos, 3
 secondary butyl amine, 249, 250
 Rifampin, 699, 701
 sodium hypochlorite, 249, 250
 Tetrahydrofuran, (THF), 624
 Thiabendazole, 249-51, 744, 749, 751
 triphenyl tin hydroxide, 249, 250
- Petiole nitrate values, 119, 120, 122, 123, 124
- Petiole N profile, 488
- Petioles, 377, 384
- Photoperiod effects, 131
- Photoperiod variations, 131, 133
- Photosynthesis measurement (CER), 134, 136, 137
- Photosynthesis partitioning, 394, 401
- Physiological disorders, 519
 brown center, 529, 530, 531, 532, 533
 bud-end hollow heart, 530
 stem-end hollow heart (SEHH), 530, 531, 532, 533
 hollow heart, 529, 532, 533
- Phytosanitary certificates, 304
- Phytotron, 591
- Plant analysis, 120
- Plant defoliation, 725, 727, 728-9
- Plant leaf area (related to tuber weight), 725, 728
- Plant density, 1, 6, 7, 9
- Plant species
 Acer sp., 641
 Alfalfa, 700
 Chenopodium album, 641
 Chenopodium amaranticolor, 183
 Chenopodium quinoa, 570, 635-7
 Glycine max, 535
 Gomphrena globosa, 183
 Gossypium hirsutum, 441
 Hordium sp., 641
 Hordium vulgare, 440
 Impatiens parviflora, 525
 Ipomoea batatas, 403
 Lycopersicon esculentum, 76
 Manihot esculenta, 403, 636
 Medicago sativa, 441
 Nicotiana tabacum, 640, 646
 Opuntia exaltata, 740
 Pea, 641
 Petunia, 525
 Physalis floridana, 184
 Poa pratensis, 518
 Rhamnus alnifolia, 647
 Rubus sp., 641
 Scopolia sinensis, 284
 Solanum x berthaultii, 284
 Soybean, 537
 Tomato plants
 Triticum spp., 441
 Verbena sp., 740
 Wheat, 700
 Zea mays, 400
- Planting dates on scab incidence, 583, 584, 585, 586
- Planting density, 460
- Planting equipment, 289
- Planting system, 1, 3
- Plantlet production, 217
- Plot planter, 289, 291
- Poisson distribution, 712, 715, 718
- Post-harvest chemical treatments, 247, 250
- Potato, 109, 131
- Potato chips, 49, 54
- Potato cultivars
 New
 Alhambra, 12, 131

- Coastal Russet, 407-12
Daniel-Navan, 269, 272-3
Donna, 337, 509-15
Krantz, 387, 389
Nieta, 277-80
Red Gold, 49-54, 325-31
Russet Norkotah, 597-603
Stemster, 14
Skirza, 14
- Old
- Abnaki, 326, 370, 636
Acadia Russet, 490
Ackersen, 299
Agitato (Y66-13-636), 509, 510
Alpha, 109, 110, 113, 114, 115, 116,
117, 279, 336, 337, 338, 636
Alaska, 653, 657
Amaryl, 510
Arma, 271
Arran Cairn, 12
Atlantic, 96, 286, 337, 344, 346-9, 393,
396, 398, 400-2, 404-5, 471, 474-5,
481, 492, 495, 498-9, 502, 504, 653,
741, 744, 749-50
Atzimba, 296, 299, 494
Avon, 286
Bea, 510
Belleisle, 514
BelRus, 96, 334, 335, 336, 337, 338,
407, 411, 412, 653
Bintje, 285, 286, 337, 472, 490
Blanka, 277, 279, 280
Boone, 653, 657
Bradord, 337
British Queen, 168
Buckskin, 474
Butte, 370, 374, 488
Campbell, 13, 337
Capella, 636
Cariboo, 181, 286
Cascade, 636
Centennial Russet, 370, 412, 535, 536,
539, 540, 576, 577, 578
Cherokee, 653
Chieftain, 474, 575, 576, 579
Chippelle, 393, 396, 398, 400, 402
Chippewa, 22, 25, 622, 653, 657
Cisa, 370, 373
Conestoga, 49, 52, 636
Craigs Defiance, 510
Cupids, 338
Cynia, 370
- Dakchip, 393, 396, 400, 402
Dazoc, 653
Delta, 472
Delta Gold, 337, 370
Denali, 337
Depesche, 12
Desiree, 270, 271, 272, 273, 278, 336,
337, 338, 479
Earlaine, 622
Epicure, 182
Fundy, 286
Gold Rus, 96
Grand Falls, 286
Green Mountain, 285-6
Greta, 458-60
Hampton, 337, 473-4
Herald, 12
HiLite Russet, 370
Hindenberg, 285-6
Home Guard, 115
Hudson, 337
Huinkul, 337
Irish Cobbler, 530
Jemseg, 285-6, 490, 492, 640-1, 645
Kama, 636
Katahdin, 50, 326, 334, 336-8, 473-4,
478, 492, 496, 510, 583-6, 622, 653
Kennebec, 50, 53, 57, 59, 64-5, 92,
94-6, 182, 285-6, 327-30, 334, 353,
355-60, 390, 473-4, 490, 502, 509,
511-5, 517-21, 523, 583-7, 598, 621,
622-9, 653, 741-2, 744, 747, 749-50
- La Chipper, 393, 396, 402, 405
Lemhi, 243, 488, 493, 502
Libertas, 338
Majestic, 168
Maris Peer, 14, 15
Maris Piper, 11-2, 71, 278, 482
Marygold, 653, 657
Merrimack, 334, 337, 475, 653
Mila, 636
Monona, 50, 337, 370, 473-4, 502, 583-6
Nema Rus, 338, 410-2
Nooksack, 576-8, 597-8, 653
Norchip, 22, 25, 53, 57, 59-65, 85-6,
88-9, 96, 247-8, 250, 285-6, 326, 329
471-2, 474, 492, 518, 583-5, 587, 653,
657, 741, 744, 749-50
Nordak, 653, 657
Norgleam, 50, 326, 653, 657
Norgold, 390, 636, 653
Norgold Russet, 85-6, 88-9, 189, 389-90,

396, 400, 402, 476, 480, 530, 597, 603
 Norking, 410
 Norking Russet, 597, 599, 600, 602
 Norland, 57, 60-3, 183, 242, 338, 390,
 474, 505, 653
 Onaway, 474
 Oceania, 337
 Ontario, 255, 258-65, 336, 396, 398,
 400, 402
 Penn, 474, 653
 Pentland Crown, 13
 Pentland Dell, 338, 482
 Plymouth, 653
 President, 334
 Pungo, 393, 396, 398, 400-2, 653
 Raritan, 490, 509
 Record, 46
 Red Beauty, 338
 Reddale, 469
 Red Gold, 326-7, 338
 Red Pontiac, 54, 85-6, 88-9, 182, 285-6,
 370, 373, 396, 400, 402, 513-4, 653-4
 Redsen, 338
 Rosa, 99, 100, 102, 337, 473-4, 583-6
 Russet Burbank, 22, 27, 42, 57, 59-66,
 85-9, 92, 94, 95-6, 119, 122, 182, 192-3
 241-2, 283-6, 327-30, 338, 353, 355-60,
 362, 370, 374, 377, 389, 395, 407,
 408, 412, 415-6, 419-22, 425-6, 436,
 469, 471, 476, 478-9, 480, 485, 487-8,
 490, 498, 501-2, 515, 517-9, 521-4,
 529-33, 535-6, 538, 547-8, 597,
 599-603, 653, 697, 700, 706, 741, 744,
 749-50
 Russet Norkotah, 410
 Russet Rural, 530
 Russette, 636
 Sable, 141, 143, 144, 490
 Saco, 370
 San, 370
 Sangre, 21, 11, 14, 25
 Saranac, 334
 Sebago, 285-6, 396, 400, 402, 504,
 511-2, 514
 Serrana, 338, 494
 Shepody, 285-6, 303, 327, 337, 471,
 473, 481, 490, 497, 514, 640-1
 Simcoe, 337
 Spunta, 279
 Superior, 49, 51-2, 57, 59, 64-5, 96, 331,
 337, 440, 450-1, 471, 474-5, 492, 518,
 653, 725-6, 741, 744, 749-50

Teton, 334, 337, 636
 Tobique, 284-6, 514
 Trent, 338, 474
 Triumph, 22
 Ulster King, 12
 Uran, 636
 Urgenta, 12, 336-8
 Warba, 182, 286
 Wauseon, 337, 621-9
 White Rose, 182, 468, 576, 580
 Yema de Huevo, 388
 Yukon Gold, 49, 51-4, 325, 327-30,
 338, 473, 492, 497, 636

Numbered seedlings

7XY.1, 458, 459
 79DS500-18, 636
 80DS-16, 373
 96-56, 622
 189, 510
 834C(29), 510
 1441-8, 510
 1801-10, 50, 326
 3895-13, 622
 6334-20, 408
 84510, 78, 79
 381064.3, 458, 459
 A119-1-RUSS
 A501-13 RUSS
 A589-65 RUSS
 A598-3 RUSS
 A6201-6 RUSS
 A6673-4 RUSS
 A6948-4, 395
 A7411-2, 488, 502, 636
 A7668-2, 502
 A66107-51, 395
 A68113-4, 476
 A72685-2, 488
 A74114-4, 488, 502, 636
 A74132-7, 636
 A76147-2, 488
 A77533-3, 636
 A79196-1, 479
 A79239-7, 502
 A79368-2, 502
 AF236-1, 337
 AF465-2
 AVRDC1287.19, 458, 459, 460
 B127, 622
 B3478-23, 335, 337
 B3895-13, 622
 B5141-6, 50

- B5149-8,622
B6695-1, 408
B8281-5, 407, 408
B8833-6, 374
B9596-2, 407
BR7093-24, 488
C65103, 388
CFK-69.1, 296, 297, 298, 299
Clone 75-17, 575
Clone DM3-1, 592, 594, 595
Clone DM5-12, 594, 595
Clone DM27-8, 592, 594, 595
Clone DM56-4, 592, 594, 595
Clone DM66-4, 592, 594, 595
Clone DM80-12, 592, 594, 595
Clone DM91-5, 592, 594, 595
Clone HT75P9-31, 592, 594, 595
Clone Minn 128-5, 575, 580
Clone Minn 128-12, 575, 579, 580
Clone Minn 128-30, 579, 580
Clone WRF1379, 575, 576, 579
CS7232-4, 337
DM56-4, 78, 79
DTO-2, 4, 5, 7, 8, 9
DTO-33, 396, 398, 400, 401, 402, 479, 480, 502
DXMP60, 14
DXMP65, 12
DXMP78, 14
F52-9, 388
F158-4, 388
F45019, 510
F58050, 141, 143
F70021, 337
F72090, 337
F73008 (Bradov), 337
F74123 (Donna), 337
F74123, 509
FL657, 337
FL795, 337
FL945, 337
FL1204, 337
G597-21, 50, 326
G610-1R, 50, 326
G675, 50
G6324-6R, 50, 326
G6515-2, 50
G6521-4RY, 50, 326
G6743-5, 388
G7010-19RY, 326
G7015-11RY, 50, 338
G65139, 388d
G668211, 50
I-931, 3-7, 9
IP12-1.27, 636
L-2651-2088, 271
L-2658-144, 278
LT-2, 3-7, 9
LT-5, 3
LT-7, 494, 495
M-5, 78, 79
Minn 128-5, 580
Minn 128-12, 579, 580
Minn 128-30, 579, 580
MN69.49-4, 388
MN108.56-1, 388
MN246.52-2, 388
MN366.65-3, 388
MPI 44.504/2, 50
MPI 49.504/2 (WISC PI 214375), 50
N-1, 636
N664-127 (Cupids), 338
ND534-4, 597
ND860-2, 474
ND2475-8 RUSS
ND3435-17, 388
ND4524-7R, 50, 326
ND8134-2-RUSS, 598
ND9526-4 RUSS, 597-8
ND9678-5 RUSS, 597-8
NDA1725-1, 479
NDD47-1, 575, 576, 579
NebA21970-3, 370
NY72, 3387
OP1, 480
OP2, 480
OP3, 480
OP4, 480
OP5, 480
P-3, 4, 5, 7-9
PP5, 499
R128-6, 494
S-62-47-1, 271
USDA 41956, 285, 286
US-W730, 485
US-W973, 485
W231, 475
W800 (2), 510
W5289-2, 388
W5295-7, 503
WN75197, 636
WNC345-15, 636
WY1122, 335, 337, 338
X927-3, 636

- Y22/6, 12
Y62-2-221, 510
Y66-13-636, 510
Potato cuttings, 1, 5
Potato digger, 305, 365
Potato diseases, 425
 Bacterial ring rot, 387, 390, 697
 Brown rot, 255
 Bacterial wilt, 255
 Blackleg, 698
 Black scurf, 331
 Common scab, 331, 389, 407, 511
 Early blight, 387, 511
 Late blight, 356, 387, 410
 Leafroll, 407
 Mild Mosaic, 331
 Mosaic, 647
 Net necrosis, 407
 Phoma pocket rot, 511
 Pinkeye, 506
 Postharvest tuber soft rot, 698
 Powdery scab, 583, 584, 585, 586, 587, 588
 Rhizoctonia, 339
 root rot, 742
 Rugose Mosaic, 331
 Seed piece decay, 698
 Silver scurf, 331
 Soft rot erwinias, 741, 742
 Soft stem rot, 698
 Soilborne pathogens, 698
 Stem-end discoloration, 416
 Verticillium wilt, 339, 387, 390, 509, 599
Potatoes, 17
Potato germplasm storage, 369
Potato growth model, 27, 28, 478
Potato monoculture, 439, 442
Potato plantlets, 301
Potato quality, 341
Potato storage, 341, 346
Potato wheat rotation, 439, 442
Power take-off, 365
Potato seed size, 54
Potato species
 Solanum, 470, 477, 483, 501
 acaule, 76, 483
 andigena, 9, 50, 370, 477, 483-4, 503-4
 Andigena CPC 1673, 12
 arizonicum, 477
 berthaultii, 285, 486-7, 500
 bill-hookeri, 737
 bukarovii, 505
 bulbocastanum, 472, 605, 606-11
 chacoense, 82, 476, 483, 485, 605-6, 607-8, 610
 comersonii, 477
 demissum, 50, 183
 fendleri, 477
 gourlayi, 605-11
 hjertingii, 467, 477, 501, 505
 infundibuliforme, 485, 505
 kurtzianum, 484, 505
 lycopersicoides, 76
 megistacrolobum, 485
 melongena, 240, 241, 244
 microdontum, 370, 372, 605-11
 multidissectum, 500, 485
 papita, 457, 605, 606-11
 phureja, 9, 326, 477, 494, 499, 500-1, 573, 575-6, 579-80, 589-9
 phureja (var *carota*), 50, 131, 133, 137
 phureja (Yema de Nuevo), 388
 raphanifolium, 388
 pinnatisectum, 370, 372
 polyadenium, 483
 polytrichon, 467, 477
 sinensis, 285
 sparsipilum, 496, 505, 605-7, 609, 611, 740
 spgazzinii, 388, 485
 stenotomum, 496, 589, 590
 stoloniferum, 75-9, 467, 477
 sucrense, 483
 tarijense, 475
 tuberosum, 27-8, 68, 81, 85, 99, 109-10, 119, 125, 132, 168, 237-8, 283, 353, 355, 369, 372, 377, 388, 393-4, 407, 426, 439, 440, 477, 483-7, 489, 496-7, 517-8, 529, 547, 573-8, 580, 583, 589, 590, 597, 605, 622, 633, 651, 700, 742
 tuberosa series, 738, 740
 vernei, 505
 verrucosum, 505
Potato virology, 562
Preplant, 377
Private breeding, 4
Processing, 96
 ascorbic acid concentrations
 frozen tuber tissue, 94, 95
 frozen and lyophilized tissue, 95, 99
 ascorbic acid concentrations in raw tuber tissue by states, 96
 dehydro ascorbic acid, 91
 cooking quality, 54
 culinary quality, 53

- potato chips, 54
- Processing quality, 390
- Production, 49, 55
- Pronotum length and elytra length of CPB in Italy, 128
- Propagated plantlets (in vitro), 353
- Propidium iodide staining of DNA, 133
- Protein fractions, 623
- Protoplast fusion, 176
- Pruning, 1, 8, 9
- Quality indicators, 491
- Quality measurements, 344, 349, 350
- Quarantine regulations, 304
- R-PAGE, 283-5
- Rainfall, 3
- Rapid Multiplication in 3rd World Countries, 199, 202, 213, 218, 223; Colombia, Ecuador, Peru, 201; Argentina, Brazil, Venezuela, 202; Sri Lanka, Thailand, Vietnam, 203; Philippines, 204; Costa Rica, Cuba, 205; Korea, 205-6
- Recovery, 377
- Red-skinned, 11
- Reducing sugars, 493
- Regression models, 728
- Resistance, 333, 476
- Rhizosphere, 697
- Root growth, 111
- Rothamstead aphid identification key, 640
- Russet cultivar, 387, 407
- Russet-skinned potato, 597
- Salinity, 85, 87, 605
- Salt concentration (ion complex), 85
- Salt resistance, 605, 607
- Sample counts, 726, 730
- Sample preparation, 441
- Sample size, 711-2, 718, 722
- Sampling, 441
- (SAPPRAD), Southeast Asia, 204
- Scab, 49
- Screening for sugar content, 503
- Seed development, (Vietnam), 295
- Seed distribution (Burundi), 552-4
- Seed multiplication, 457, 480
- Seed numbers, 470
- Seed piece treatment, 449-50, 468, 473
- Seed production, 209
- Seed programs, 181, 199, 206, 217, 229
- Seed set, 484, 499
- Seed spacing, 292
- Seed storage (Burundi), 553, 554
- Seed treatment, 573, 575-7
- Seedling tubers, 295, 297-8, 457
- Seedling vigor, 494-5
- Sequential harvesting, 490
- Serology, 237
- Serological procedures, 238-40
 - bacterial strains, 257
 - non-bacteriocinogenic strains (B-82), 256
 - bacteriocin assays, 257
 - eggplant assay, 241
 - electrophoresis, 284
 - freeze thaw treatment (PSTV), 283-4
 - hypersensitive response, 257
 - Ouchterlony double diffusion (ODD) test, 243
 - pathogenicity tests, 259
 - testing, 336
 - virulence assays, 258
- Serological tests, 633, 635
- Shipping plantlets, 301-307
- Shipping potato cultures, 301, 497
- Size distribution, 381
- Small whole seed production, 55
- Soil compaction, 480
- Soil fumigation, 504
 - metham sodium, 504
- Soil matric potential, 37
- Soil temperature on seed piece decay, 744, 747
- Soil water content, 480
- Solar radiation, 3, 35
- Solin units, 477
- Somatic mutation, 22
- Sonication, 623, 624
- Sorvall RC2B centrifuge, 623
- Source of contamination, 497
- Source-sink relationship, 141
- Specific gravity, 49, 52, 53, 121, 141, 144, 328, 329, 330, 342, 381, 389, 390, 401, 402, 409, 411, 412, 415, 418, 419, 482, 490, 512, 513, 514, 529, 531, 599
- Spectrophotometer (Spectronic 21™), 743
- Sprout cuttings, 199
- Statistical model (PEA), 713, 714, 715, 716, 717, 719
- Statistical sampling, 711, 713, 716, 721
- Steam peeler (type DSA45), 543
- Stem cuttings, 217
- Stem end discoloration, 416
- Stepwise sampling, 711, 713, 715, 721
- Stigma exertion, 484
- Stomatal conductance, 393, 398, 400
- Stones, 543
- Storage rot, 247, 248

- Storage temperature, 482
Storage temperature effect on TPS dormancy, 573, 574, 578
Storage temperature effect on germination of TPS, 573, 576
Sugar content, 141, 144, 342
Symposium papers, 161, 163, 167, 181, 197, 209, 221, 229
Symptom expression, 333-5
Symptom (BRR) rating, 335-336
Synergistic injury symptoms, 535, 537
TCA, 168, 174
Temperature, 35
 control, 482
 number of stems, 62
 seed exposure, 57, 60
 tuber numbers, 61
 vine maturity, 62, 63
Tetraploid potato seed, 576, 577, 578
TGA, 54, 99, 100, 101, 102, 103, 331
Thermotherapy, 633, 635, 636, 637
Third World seed programs, 199, 206
Timing, 377
Tissue culture, 181, 201, 229, 369, 633, 634, 636
Total solids, 599, 602, 603
Toxicants, 99, 622
TPS extraction, 296
TPS production (true potato seed), 295
Translocation, 377
Transpiration, 393, 400, 403
Transplanting, 1, 218, 353
Trichome characters, 486
Triennial Conference of Asian Potato Assoc., 516
True potato seed, 295, 457, 459, 467, 480, 494, 573-4, 590, 606
Tuber aging, 109
Tuber characteristics, 344
Tuber dormancy, 49, 51
Tuber dry matter, 269, 272, 279-80
Tuber greening, 27
 by skin color, 656, 657
 external, 651, 653, 654-5
 internal, 652, 653-5
Tuber initiation, 142, 479
Tuber maturation, 415
Tuber numbers, 361, 453, 491
Tuber per plant, 402
Tuber physiological age, 110
Tuber production from true seed, 458, 460
Tuber shape, 21
Tuber size, 299, 532-3
Tuber weight (related to defoliation by CPB), 725, 727-9, 732-5
Tuber wounding, 490
Tuberization, 374, 404, 485, 488, 495
 2N pollen, 409, 500
 2x x 4x crosses, 504
Two step ELISA, 561, 563-7
Undersized tubers, 529, 532
Urschel cutter (model G-A), 543
U.S. standards for processing potatoes, 342
Variable speed chain drive, 366
Variation, 21
Vector effectiveness, 640, 646
Vector efficiency, 645
Vegetable propagation, 552-4
Vine dehydration, 415, 420
Vine desiccation, 416
Vine pulling, 415
Vine pulling methods, 422
Virus-free propagation, 574
Virus
 Beet Western yellow virus (BWYV), 561, 563, 565, 567, 569
 CLSV, 570
 IYIR, 563
 Leafroll, 13, 279, 561-2, 565, 567, 569-70, 633
 Mild Mosaic, 49
 (M-PSTV) strain mild, 283
 PLRV resistance, 49, 76, 183-4, 325, 331, 473, 511, 562, 564-5, 569
 Potato spindle tuber, 183-4, 283-6
 (PSTV), 183, 192, 211, 213, 283, 499
 PVA, 509
 PVS, 511
 PVS eradication, 633-7
 PVX, 76, 325, 331, 471, 473, 509
 PVY immunity, 76, 325, 331, 473, 509, 639, 646
 PVX infection, 633
 PVY vectors, 639-47
 Sources of PVY^o, 645
 (S-PSTV) strain (severe), 283
 Virus A, 279
 Virus B, 15, 279
 Virus C, 14, 15
 Virus M, 473, 561, 563-5, 567, 569
 Virus S, 25, 181-7, 189-91, 193-7, 387, 390, 473, 561, 563-5, 567, 569
 Virus V, 14

- Virus X, 13-5, 25, 181-7, 189, 190-4, 196-7,
279, 387, 561, 563-5, 567, 569
- Virus Y, 13-5, 49, 76, 183, 279, 547-50,
561, 563-5, 567, 569, 599, 633
- Virus contamination from seed culture, 196
- Virus eradication procedure, 184
- Virus flushout, 472
- Virus free collection, 181
- Virus free potatoes, 183
- Virus spread timing, 641, 645
- Virus spread versus aphid fauna, 643-5
- Waste water treatment 484
- Water relationships, 109
 - drought stress, 109, 114
 - evaluation of root growth, 116
 - leaf water relationship, 113
 - stomatal conductance, 110, 111, 114
- Water stress, 478, 490
- Wisconsin temperature tanks, 744
- Wound-healing, 742, 745-6, 749-51
- Yeast fermentation of TPS, 574-6
- Yellow flesh cultivar, 325, 509
- Yield, 5-8, 13, 15, 23-4, 40, 52-3, 57, 59,
61-5, 121-2, 272, 279, 280, 295, 297-9,
325, 328-30, 361, 381, 389-90, 393, 401-2,
411-12, 416, 451, 453, 457, 459-60, 468,
471, 475-6, 480, 482, 490-2, 498-9, 501,
504, 511-4, 529, 531-2, 535, 538-9, 597,
599, 600-1, 705, 726
- Yield prediction, 27
- Zeatin, 487, 479
- Zero tolerance, 711-3, 721

